## Agriculturel Department SHORT TENDER NOTICE

No. AE (4)680/2006.

7th May 2007,

Sealed tenders are invited for supplying and installing the following machinary and equipments for fruit processing unit at Orange and Vegetable Farm, Nelliampathy. The tender should be superscribed "Tender for the supply and installation of machinary and equipments for fruit processing unit at Orange and Vegetable Farm, Nelliampathy" and addressed to Assistant Executive Engineer (Agri.), Malampuzha. Last date of receipt of tender is at 3 p.m. on 13-5-2007. Late tenders will not be accepted. Tenders will be opened at 3.30 p.m. on 13-6-2007 in the presence of such of the tenderers or their authorised representatives present at that time.

Tender forms can be obtained from Assistant Executive Engineer (Agri.), Malampuzha on payment of Rs. 700+S.T. in cash. Cost of tender form is not refundable. The tender forms are not transferable. Sale of tender form will be closed at 1 p.m. on 13-6-2007 A Preliminary agreement in the form given in tender form is to be executed in Kerala stamp paper of value Rs. 50. An carnest money deposit at one percent of the cost of items tendered shall accompany with the tender. Further details if required can be had from the office of the undersigned during working hours.

No.		Q	untity
(1)	(2)		(3)
1	Palper for Pineapple, Mange and Orange. Electric motor with 5 HP 1440 RPM. 3 phase (Heavy type) all contact parts are fabricated with high quality non-corrosive SS 304, 316, 202 etc. 2 nylon brushes with 2 Rods of SS 304 and snitable provision for motor enclosure.	1	No.
2	Filler proof (FP) hand operated semi-automatic 3 rollars, cap scafing machine	1	-11
3	Electronic balance (Laboratory type) with High sensitivity (0.001 gm-220 gm)	1	19
4	Stainless steel containers 200 litres	5	Nos
5	SS containers 50 Lts. capacity		P.9
6	Refractometer (0-30, 30-60 & 00-85) with Leather case		No.
7	Working table of size (120 x 90) CM (abricated with SS	4	Nos.
В	Steam jacketted kettle of capacity 75 lts. Tiltingtype fabricated with SS 304, 3mm, sheet with safety valves, pressure gauges etc.	3	b

	(1)	(2)		(3)
	9	with 0.5 HP electric motor and fabricated with SS	1	No
1		Juice extractor heavy type and pulping machine with SS screws and fitted with 2 HP motor and having different speeds	,İ.	1,0
	12	Halving machine suits ble for orange filled with I Hp x 2. Electric motor and all contact parts are with SS	1	10
	1,3	Hydraulic press 25T capacity with channel Frame 6 x 3	1	23
	14	SS hollow and punches for outside cutting suitable for 301 and No. 1 tall	_1	35
	15	SS hollow and punches for outside cutting suitable for 307 dia A 2 size	1	21
	16	SS hollow hand punches for outside cutting suitable for 401 dia A 2 1/2 size	1	12
	17	Hand core punches 1/8 * dia	1	13
	18	Stirrer fitted with 0.25 HP electrical motor (Portable type)	1	ю

നെള്ളിയാവത് ഓഞ്ഞ് ആർറ് വെജിറാബിറം ഫാമിലെ പഴസംസ്ക്രണ ശാലയിലേക്ക് താഴെ പറയുന്ന സാമഗ്രിക്കാ വിതരണം ചെയ്ത് ഉറ്റ്വികുന്ന തിനുവേണ്ടി മുദ്രവച്ച ടെണ്ടറുകഠം കോള ഗവരണ്ണർക്കു വേണ്ടി രലമ്പുഴ അസിന്ധാറാൻ എക്സി വേണ്ടി രലമ്പുഴ അസിന്ധാറാൻ എക്സി കുൂട്ടിവ് എൻജിനിയർ (കൂഷി) കാണിച്ചുകൊള്ളുന്നു.

രണ്ടർ ഫോറല്ടാം ഈ ആഫീസിൽ നിന്നും എല്ലാ പ്രവർത്തി ദിവസങ്ങളിലും മാവിലെ (() മണി മുതൽ വൈകുന്നേരം 5 മണിവരെ രേഖാമുലമായ അപേഷം തിർമേൽ വില സ്വീകരിച്ച് നൽകുന്നതാണ്, ടെൺർ ഫോറത്തിൻൻ വില 700 രൂപ + വിൽപ്പന നികുതി പുറയം 13-6-2007 ഉച്ചയ്ക്ക് | മണിക്ക് മൈർഫാറം വിൽപ്പന അവസാനിപ്പിക്കുത്തായിരിക്കും, ടെൺർ വാര്യ്തിൻൻ വില യാരത്തു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ടെൺ മുഴുവനാത്തെ ഭാഗിചകായോ യാതൊരു കാരണവും കാണികാരെ തിരസ്കരിക്കു ന്നതിനോ രദ്ദേക്യന്തതിനോ അസിസ്കരിക്കു ആക്സികുട്ടിവ് എമ്മിനിയർ (കൃഷി) അധികാര മുത്തായിരികുന്നതാണ്.

യാരോ ടെണ്ടറിനോടെടുപ്പം കാത്തം ടെണ്ട് തുകയുടെ 1%-ത്തിൽ കുറയാത്ത സംഖ്യയ്ക്കുള്ള നിരത്യവും 50 രൂപ തുരവിലയുള്ള മുദ്രേപ്പ്യത്തിൽ പ്രോഥനിക ഉടമ്പടിയും ടെണ്ടറിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. ടെണ്ടർ സ്വീകരിക്കുന്ന അവസാന ത്രിയതി 13-6-2007 വൈകുന്നേരം 3 മണിവരെ, യഥാസമയം ലഭിക്കുന്ന ടെണ്ടറുക്ക 13-6-2007 വൈകുന്നേരം 3 30-ന് അപ്പോടം സന്നീഹിതരായിട്ടുള്ള ടെണ്ടർക്കാനുടെയോ അവർ അധികാരപ്പെടുത്തിയിട്ടുള്ള ഒട്ടെൽകാനുടെയോ അവൻ അധികാരപ്പെടുത്തിയിട്ടുള്ള വ്യക്തിയുടെയോ സാന്നീ ഒയുത്തിൽ നുറക്കുന്നതായിരിക്കും, അന്നേദിവസം ആതെങ്കിലും കാരണവശാൽ അവധിയായാൽ ഒതാട്ടടുത്ത മിവസം ടെണ്ടറുകയ തുറക്കുന്നതായിരിക്കും, ഒട്ടോറുകയ നൽകുന്ന കവറിനുപുറത്ത് ടെണ്ടറിന്റെ നമ്പരും വേരും അവയ് കടുത്തിൽ വിന്നും ഉത്തരെയാണ്. ഈ ആംഗീസിൽ വിന്നും ഉത്തരവ് കട്ടി നിശ്ചപ്ത ടിവസത്തിനകം സാധനങ്ങം വിതരണം ചെയ്ത് ഉറപ്പിക്കേത്തിന്റെ സമരുന്ന് അവരുന്നും വരുത്തിനും ഇത്തരെയുള്ളം ഈ ടെണ്ടറിനും ബാധകരായിരിക്കും.

കുടുതൽ വിവരങ്ങരം എല്ലാ (പവർത്തി ദിവസങ്ങളിലും പല ബുഴ അസിന്ധ് റാൻം" എക്സികുുളീവ് പലര്ഷും വിവരങ്ങരം എല്ലാ (പവർത്തി ദിവസങ്ങളിലും

[கூற மெய்க்	ഉചകരണങ്ങളുടെ വിവരണം	mm-
(1)	(2)	(3)
1	പറാപ്പർ (മെപ്നാപ്പിറം, മല്ലെ, മാറഞ്ഞ് എന്നീവയ"ക്ക്) 5 എച്ച്".പി. 1440 ആർ.പി.എം. 3 ഫേയ്സ മേല്യോർ (ഹെവി മെടപ്പ്) നോൽ കേരോസിവ് എസ്.എസ്. 304, 216, 202് എന്നിവ കൊണ്ട് നിർമ്മീച്ചത്, 2 മൈലോൽ ബ്രാസ്.എസ്.എസ്. 304-ത്ര 2 റാഡ്. മോട്ടോർ ഉറപ്പിക്കുന്നതിനുള്ള പ്രത്യേക സ്ഥലം ഉയപ്പെടെ	1
2	ഫില്ലർ (പുഫ് (എഫ്, പി.) സെമി ഓട്ടോമാററിക് കാപ് സിലിംഗ് മെഷീൻ	t
3	ഇലക് (ട്രാണിക് ബാലത്സ് (ലബോറട്ടറി ടൈപ്പ്) ഉയർന്ന കൃത്യത	r
*#	സ"റെഡിൻലസ സൗറിൽ കത്തി നേഴ"സ" (200 ലിറാര്)	5
5	എസ്. എസ്. കണ്ടതിനർ (30 ബി.)	8
Ğ	നി (ഫാക് ഹോ മീറാർ (0.5%) ലെനർ കവറോടു കൂടിയത്.	1
7	വർക്കിങ് ടേബി⇔ (120×90 ഡെ. മി.) 20 ഗേജ" എസ്, എസ്, കൊണ്ട് വിർമ്മിച്ചത്	4
8	സ് ററീം ജാക്കറാഡ് കെററിൽ ശേബി 75 ലിറാർ (ടിൽടിംഗ് ടെറ്റ്വ്) എസ്, എസ്. 304 3 എം.എം, ഷീറാ് കൊണ്ട് നിർമ്മിച്ചത് എല്ലാ സുരക്തിത ധോവുകളും ഉറപ്പെടെ	3
9	സി(ഒസ് ഫ്രൂട്ട ജൂസർ (2 ഹെഡ് 0.5 എച്ച്". പി. ഇലക്'ട്രിക്' മോട്രോർ എന്നില ഉപപ്പെടെ) എല്ലാ ഭാഗങ്ങളും എസ്. എസ്. കൊണ്ട് നിർത്തിച്ചത്	t
10	പി. എച്ച", തീരാദ് (ലബോറട്ടറി ഒടെപ്പ")	1
11	മുസ" എക"സ്"(ട്രേക്ടർ (ഹോവി ടൈല്ല്) പരാപ്പിംഗ് മെഷിൽ എസ്. എസ്. സ്ക്രൂസ്, 2 എച്ച്, പി. മേരട്ടോർ ഉറപ്പെടെ	Î.
12	സാപടീംഗ് മെബിൻ (¦ എച്ച്, പി. x2 ഇലക"ക്രീക" കോട്ടോർ) എല്ലാ ഭാഗങ്ങളും എസ്. എസ്, കൊണ്ട് നിർദ്മിച്ചത".	1
13	സൈഡ്രോളിക" പ്രസ <sup>*</sup> 25 ടഞ് കപ്പാമ്പിരവികുള്ളത <sup>°</sup> .	ı
14	എസ്". എസ്ത", ഹോളോ ചഞ്ഞ്" (പുറം ഭാഗം മുറിക്കുന്നതിന്") 381 നമ്പർ 1 (വല്യത്")-ന്ന് യോജിച്ചത്	1
15	എസ്'. എസ്" മഹാരളം പഞ്ച്" (പുറം ഭാഗം മുരിക്കുന്നതിന്ന്") 307 എ 2 വലിപ്പും	1

(1)	(2)	(3)
16	എസ", എസ", ഹോളോ പഞ്ച" (പുറം ഭാഗം മുറിക്കുന്നതിന") 401 എ 2} വലില്ലം	1
1-7	യായുടെ, അഭവു ചിരണ്ണ ട്ട് വദിവാഗം	1
18	സ ററിറർ (പോർട്ടബി രം ടെപ്പ്) (). 25 എപ്. പി. മോളറോടുകൂടിയത്	1

## Special Terms and Conditions

- Rates quoted should be for supplying and fixing the machineries and equipments at "Orange and Vegetable Farm", Nelliampathy.
- The rates should be inclusive of all taxes, ceses etc. which are or may become payable the supplier under existing or future laws or rules of the country of origins or supply during the course of execution of content.
- The rate quoted should be firm till 3!-3-2008 for acceptance and when once it is accepted it shall not be subjected to increase at any time till the context is completed.
- Make of machinery and equipment should be clearly stated against each items.
- 'D' form will be issued at the time of delivery of article.
- Since machineries and equipments are for establishing a single fruit processing unit and most of them are related and other, tenders quoted all items will be preferred.
- Clearly stated the ISI Certification for machinery and equipment if any, and copies of such certificate should be attacked.
- 8. The tenders should furnished detailed specification of item quoted and leaflers showing the constructional features and performance at
- 9. The tenders should furnish documentary evidence of his reputation in the field of supplying and fixing machineries and equipments for supplies executed by him during the last two years or no with laddresses of parties to when supply effected.
- The successful tenders should guarantee for the satisfactory performance of machinery and equipments for a period of 2 years.
- 11. The tenders should have adequate after sale service for prompt repair and servicing of equipment/machinery supplied. Their arrangement also should be sanctioned to give after sale service.
- 12. The EMD of 1% of the total cost of articles tendered be furnished along with each tender. The EMD furnished along with each tender shall be in form given below.
  - (a) Crossed Bank Drafts.(b) Treasury Savings
  - (c) Government Promissory Notes.
  - (d) Fixed deposits with Nationalized!

Scheduled bank in the name of Assistant Executive Engineer (Agri.) Malampuzha or in the name of depositor with due endorsment their in to

Assistant Executive Engineer (Agri.) Malampuzha will also be accepted provided the period is not less than six months.

- 13. The successful tenders will have to execute an agreement in Keral Stamp Paper worth Rs. 50 in the prescribed of 5% of the total value of contract.
- 14. The Assistant Executive Engineer (Agri.1, Malampuzha reserves the right to cancel the contract at every time during the time of contract without giving notice or assigning reasons.
- 15. Payment up to 50 % can be made after satisfictory supplying the machinery and equipment. Final payment will be made after install tion and commissioning of the machinery and equipment. In case of anavoidable belated payment no calim from the supplier for any interest will be entertained by the department.
- Supply and installation should be completed within 2 months of receipt of firm supply order.

Malampuzha.

(Sd.)
Assistant Executive
Engineer (Agri.).